



# GENERAL ORDER

## GENERAL ORDER 500.06

# GoCanvas Reporting System for SCBA and Medical Oxygen

### BUREAU OF LOGISTICS

Issue Date: July 24, 2020

Revision Date: N/A

#### 1 APPLICABILITY

2 All Personnel

#### 3 POLICY

4 The Bureau of Logistics operates the Breathing Apparatus Shop and the Medical Oxygen  
5 Generation Shop. These two divisions of the Bureau of Logistics provide critical services in  
6 support of the Emergency Services Bureau (ESB) and its personnel. The Bureau of Logistics  
7 recognizes that access to these resources is critical for ESB personnel to be able to maintain the  
8 resources and supplies they need to continue to provide service in a timely manner. The  
9 Howard County Department of Fire and Rescue Services (Department) will be using GoCanvas  
10 as a single source reporting and tracking system for SCBA and medical oxygen supplies in  
11 accordance with the recommendation from the Air Management Committee.

#### 12 DEFINITIONS

13 ➤ None

#### 14 PROCEDURES

##### 15 GENERAL:

16 GoCanvas provides ESB personnel with a single source reporting system that can be entered  
17 using the GoCanvas application on a mobile device or through their website at:

18 <https://www.gocanvas.com>. This platform is the proper reporting procedure for both SCBA  
19 repairs and medical oxygen supplies. If you have an emergent after hours need, please refer to  
20 General Order 500.05: Logistics After Hours.

21

##### 22 BA REPAIR REQUEST:

23 The Breathing Apparatus Repair form will be used to enter any SCBA repair requests. These  
24 entries are monitored by the Breathing Apparatus Technicians and the Bureau of Logistics  
25 headquarters staff. The Breathing Apparatus Technicians will enter repair notes and close out  
26 repair reports as work is completed. The use of this system allows the Bureau of Logistics to  
27 track data and trends in real time to make decisions on the acquisitions of breathing apparatus



# Howard County Department of Fire and Rescue Services GENERAL ORDER

28 and to work with supply vendors to resolve reoccurring issues and trends. Upon the close out of  
29 a repair request, the sender of the repair request is notified that the work has been completed,  
30 helping to close the feedback loop for the ESB personnel.

31

### 32 MEDICAL OXYGEN SUPPLY REQUEST:

33 The Oxygen Help Desk on the Department’s GoCanvas platform allows for ESB personnel to  
34 quickly enter supply needs as they exchange oxygen cylinders on the unit. A GoCanvas Oxygen  
35 Help Desk shall be entered every time an oxygen cylinder is changed out. Upon entry of an  
36 Oxygen Help desk, the Oxygen Technician is notified via the application notification on his/her  
37 mobile device. Using this sole source reporting and tracking platform allows the Oxygen  
38 Technician to evaluate needed supplies and prioritize delivery.

### 39 REFERENCES

- 40 • None

### 41 SUMMARY OF DOCUMENT CHANGES

42 New General Order

### 43 FORMS/ATTACHMENTS

- 44 • None

### 45 APPROVED

46

47

48

49

50 William Anuszewski, Fire EMS Chief  
51 Office of the Fire Chief

52

53

54

Author:

55

56

57

58

59

  
60 Martin P. LePore, Battalion Chief  
61 Bureau of Logistics

62

63

64

65